2-13		Shut-	M C	iction just 1	ell
	MID Pile		ÁPI	stad by G. Proval Lett	or
rd Index			DL	approval &	etter
COMPL: Wel	RELOW DATA: } Completed	2-13-7	6 Loca	tion Inspe	Sted

OS.... PA....

Bond released State or Fee Land

LOGS FILED

iller's Log..... Actric Logs (No.)

.... I..... Dual I Lat.

Sonic GR..... Lat..... Mi-L..... Sonic

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL & GAS

5. Lease Designation and Serial No.

	CD DEDAAIT T	O DRIII DEEPI	EN. OR PLUG !	B Y C K	ndian, Allottee or Tribe Name
APPLICATION F	OK PEKMII I	O DRILLY DELLI	-: ·/ · · · · · · · · · · · · ·	<u>BACK</u>	
a. Type of Work DRILL R	n	DEEPEN []	PLUG BA	CK []	t Agreement Name
b. Type of Well		·		·	m or Lease Name
Oil Gas Well Name of Operator	U Other		Zone Zon	<u>е</u>	
Willard Pease Oi	l and Gas Cor	mpany		9. Wel	l No.
. Address of Operator		<u> </u>			1
P. O. Box 548, G	rand Junction	n, Colorado 815	01	10. Fie	eld and Pool, or Wildcat
Location of Well (Report lo		accordance with any State ec 6, T19S, R23E		Cis	sco Springs c., T., R., M., or Blk.
At proposed prod. zone	000 jrwh, St	ec 0, 1198, R23E	, Grand Country	and	Survey or Area
4. Distance in miles and direct	ction from nearest tow	n or post office*	·	12. Co	unty or Parrish 13. State
13 miles North	f Cisco, Utal	h		Gı	and Utah
5. Distance from proposed* location to nearest		16. N	o. of acres in lease	17. No. of acres to this well	assigned
property or lease line, ft. (Also to nearest drlg. line,			360		<u>-</u>
8. Distance from proposed loc to nearest well, drilling, co	mpleted,	19. P	roposed depth	20. Rotary or cab	
or applied for, on this lease 1. Elevations (Show whether I			3800'	Rota	approx. date work will start*
4980' G.					
4960 G. 3.		PROPOSED CASING ANI	OF COMMINION DESCRIPTION OF A STATE OF A STA		oruary 1, 1975
·					
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		uantity of Cement
12 1/4"	8 5/8"	24#	200'	Cen	ment to surface.
and cement to su consist of a dou	124" surface rface. Nippl ble hydraulic	le up and press c ram system wi	3800' th of about 200 ure test BOP to th accumulator.	250) ft. Run 8) 1000 psi. Blind ram	Sx. S 5/8"-24# casing BOP equipment to
Proposed Drillin Rig up and drill and cement to su consist of a dou	g Program: 12½" surface. rface. Nipple ble hydraulic d. A Grant r 6 3/4" hole Mud up with run 4½" casing	e hole to a dep le up and press c ram system wi roatating head to the Entrada n a water-base g and cement wi ndoned. Permis	3800' th of about 200 ure test BOP to th accumulator. or equivalent w at approximate chemical gel mu th approximatel sion will be se	oft. Run 8 o 1000 psi. Blind ranvill be used ely 3800' used and run lay 250 Sx.	3 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max	g Program: 12½" surface. rface. Nipple ble hydraulic d. A Grant r 6 3/4" hole Mud up with run 4½" casing	e hole to a dep le up and press c ram system wi roatating head to the Entrada n a water-base g and cement wi ndoned. Permis	3800' th of about 200 ure test BOP to th accumulator. or equivalent w at approximate chemical gel mu th approximatel sion will be se	oft. Run 8 o 1000 psi. Blind ranvill be used ely 3800' used and run lay 250 Sx.	Sx. 3 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max	g Program: 12½" surface. 12½" surface. 12½" surface. 12½" surface. 13/4" hole 14/4" casing 15/4" and abar 15/4" and ab	e hole to a deple up and pressor ram system with roatating head to the Entrada a water-base g and cement with adoned. Permissated pressure in the control of	th of about 200 ure test BOP to the accumulator. or equivalent wat approximate chemical gel muth approximatels ion will be set a 700 psi.	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 y 250 Sx. ecured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the logs. If the well Otherwise, the to plugging
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max ABOVE SPACE DESCRIBE active zone. If proposal is to eventer program, is any.	g Program: 12½" surface. rface. Nippl ble hydraulic d. A Grant r 6 3/4" hole Mud up with run 4½" casing gged and abar rimum anticipa e PROPOSED PROGR	e hole to a deple up and press ram system wi roatating head to the Entradan a water-base gand cement windoned. Permisated pressure i	th of about 200 ure test BOP to th accumulator. or equivalent wat approximate chemical gel muth approximatels ion will be set a 700 psi.	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 y 250 Sx. ecured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging uctive zone and proposed new putrue vertical depths. Give blowd
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max N ABOVE SPACE DESCRIBI active zone. If proposal is to reventer program, is any.	g Program: 12½" surface. 12½" surface. 12½" surface. 12½" surface. 13½" hole 14½" casing 15gged and abar 15mum anticipa 15gged and abar 15mum anticipa 15gged and abar 15mum anticipa	e hole to a deple up and press cram system wi roatating head to the Entrada a water-base gand cement windoned. Permis ated pressure i	th of about 200 ure test BOP to th accumulator. or equivalent wat approximate chemical gel muth approximatels ion will be set a 700 psi.	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 y 250 Sx. cured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging uctive zone and proposed new printing vertical depths. Give blowd Date 1-19-75
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max NABOVE SPACE DESCRIBE active zone. If proposal is to reventer program, is any. Signed	ig Program: 12½" surface. irface. Nipple ble hydraulic id. A Grant if 6 3/4" hole Mud up with run 4½" casing gged and abar imum anticipa E PROPOSED PROGR drill or deepen direct State office use)	e hole to a deple up and pressor ram system will roatating head to the Entrada a water-base grand cement will address at a pressure in the control of the co	th of about 200 ure test BOP to th accumulator. or equivalent w at approximate chemical gel mu th approximatel sion will be se s 700 psi.	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 Ly 250 Sx. ecured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging uctive zone and proposed new printing vertical depths. Give blowd Date 1-19-75
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max N ABOVE SPACE DESCRIBI netive zone. If proposal is to reventer program, is any. (This space for Federal or in	12½" surface. 12½" surface. 12½" surface. 12½" surface. 12½" surface. 14	e hole to a deple up and pressor ram system will roatating head to the Entrada a water-base grand cement will address at a pressure in the control of the co	th of about 200 ure test BOP to the accumulator of equivalent we at approximate chemical gel muth approximately sion will be seen or plug back, give dea on subsurface locations resident	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 Ly 250 Sx. ecured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging uctive zone and proposed new printing vertical depths. Give blowd Date 1-19-75
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max NABOVE SPACE DESCRIBI active zone. If proposal is to reventer program, is any. (This space for Federal or in Permit No	12½" surface. 12½" surface. 12½" surface. 12½" surface. 12½" surface. 14	e hole to a deple up and pressor ram system will roatating head to the Entrada a water-base grand cement will address at a pressure in the control of the co	th of about 200 ure test BOP to th accumulator. or equivalent w at approximate chemical gel mu th approximatel sion will be se s 700 psi.	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 y 250 Sx. cured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging uctive zone and proposed new printing vertical depths. Give blowd Date
Proposed Drillin Rig up and drill and cement to su consist of a dou rams will be use and drill a drilling medium. is productive, r well will be plu operations. Max N ABOVE SPACE DESCRIBI uctive zone. If proposal is to reventer program, is any. (This space for Federal or in Permit No	12½" surface. 12½" surface. 12½" surface. 12½" surface. 12½" surface. 14	e hole to a deple up and pressor ram system will roatating head to the Entrada a water-base grand cement will address at a pressure in the control of the co	th of about 200 ure test BOP to th accumulator. or equivalent w at approximate chemical gel mu th approximatel sion will be se s 700 psi.	oft. Run 8 1000 psi. Blind ran vill be used ely 3800' us ad and run 1 y 250 Sx. cured prior	B 5/8"-24# casing BOP equipment to as and 4½" pipe b. Drill out shoe sing air as the cogs. If the well Otherwise, the to plugging uctive zone and proposed new pr true vertical depths. Give blowo

5EC. 28 7.195. R.23E. S.L.M.

SCALE: I" . 1000'

KEWANEE NO. 1

Located South 660 feet from the North boundary and East 660 feet from the West boundary of Section 28, T.195., R.23E., S.L.M.

Groundline Elev. 4980



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE SEST OF MY KNOWLEDGE AND DELIEF






UDELL 8, WILLIAMS
781 ROOD AVENUE
GRAND JUNGTION, GOLGRADO
61801

PLAT OF
PROPOSED LOCATION
KEWANEE NO. 1
NWINWI SEC. 28
T.19S., R.23E., S.L.M.

THE STATE OF THE S

DEALER TO USE DATE: 7/1/75



DEMATOR ROBERT S. WEST - 303-242-5083
1983 97/8 ROAD
6AMD GUNCTION, COLD, 8150/
DEMER LACORS DRILLING CO.

ROSS L. JACOBS
405 W HAGFIELD DR

GRAND JUNCTION COLD 8150/
303-243-9685

CERTIFIED COPY

GENERAL POWER OF ATTORNEY

No.	78941

Know	all	Men	by	these	Presents
------	-----	-----	----	-------	----------

That UNITED STATES FIDELITY AND GUARANTY COMPANY, a corporation organized and existing under the laws of the State of Maryland, and having its principal office at the City of Baltimore, in the State of Maryland, does hereby constitute and appoint

Rodney C. Power

of the City of Grand Junction , State of Colorado its true and lawful attorney in and for the State of Colorado

for the following purposes, to wit:

FS 3 (9-67)

To sign its name as surety to, and to execute, seal and acknowledge any and all bonds, and to respectively do and perform any and all acts and things set forth in the resolution of the Board of Directors of the said UNITED STATES FIDELITY AND GUARANTY COMPANY, a certified copy of which is hereto annexed and made a part of this Power of Attorney; and the said UNITED STATES FIDELITY AND GUARANTY COMPANY, through us, its Board of Directors, hereby ratifies and confirms all and whatsoever the said

FIDELITI AND GUARANTI COMI	Aivi, through us, its board	or Directors, hereby ratines and confirms all and whatsoever the said
	Rodney C.	Power
may lawfully do in the premises by virtual In Witness Whereof, the said	ue of these presents. I UNITED STATES FIDELI	TY AND GUARANTY COMPANY has caused this instrument to be
sealed with its corporate seal, duly atte	4 T	Vice-President and Assistant Secretary, this 30th day of 19 68
		UNITED STATES FIDELITY AND GUARANTY COMPANY.
	(Signed)	ByKarl H. Doerre
(SEAL)	(Signed)	H. G. Sachse Assistant Secretary.
STATE OF MARYLAND, BALTIMORE CITY, ss:	:	
whom I am personally acquainted, when that they, the said Karl H the Vice-President and the Assistant poration described in and which execused affixed to said Power of Attorney	Sachse no being by me severally duly l. Doerre Secretary of the said UNIT uted the foregoing Power of was such corporate seal, tha es thereto by like order as V	Assistant Secretary of said Company, with both of y sworn, said that they resided in the City of Baltimore, Maryland; and H. G. Sachse were respectively ED STATES FIDELITY AND GUARANTY COMPANY, the corattorney; that they each knew the seal of said corporation; that the t it was so fixed by order of the Board of Directors of said corporatice-President and Assistant Secretary, respectively, of the Company.
(SEAL)	(Signed)	Herbert J. Aull
STATE OF MARYLAND SALTIMORE CITY,	ect.	
Court of Record, and has a seal, do h whom the annexed affidavits were made State of Maryland, in and for the Cit	de, and who has thereto subso y of Baltimore, duly commiss to be recorded therein. I fur	, Clerk of the Superior Court of Baltimore City, which Court is a Herbert J. Aull , Esquire, before cribed his name, was at the time of so doing a Notary Public of the ioned and sworn and authorized by law to administer oaths and take ther certify that I am acquainted with the handwriting of the said
	reto set my hand and affix the	seal of the Superior Court of Baltimore City, the same being a Court , A. D. 19 68
(SEAL)	(Signed)	Clerk of the Superior Court of Baltimore City.

PRINTED IN U.F.A.

COPY OF RESOLUTION

That Whereas, it is necessary for the effectual transaction of business that this Company appoint agents and attorneys with power and authority to act for it and in its name in States other than Maryland, and in the Territories of the United States and in the Provinces of the Dominion of Canada and in the Colony of Newfoundland.

Therefore, be it Resolved, that this Company do, and it hereby does, authorize and empower its President or either of its Vice-Presidents in conjunction with its Secretary or one of its Assistant Secretaries, under its corporate seal, to appoint any person or persons as attorney or attorneys-in-fact, or agent or agents of said Company, in its name and as its act, to execute and deliver any and all contracts guaranteeing the fidelity of persons holding positions of public or private trust, guaranteeing the performances of contracts other than insurance policies and executing or guaranteeing bonds and undertakings, required or permitted in all actions or proceedings, or by law allowed, and

Also, in its name and as its attorney or attorneys-in-fact, or agent or agents to execute and guarantee the conditions of any and all bonds, recognizances, obligations, stipulations, undertakings or anything in the nature of either of the same, which are or may by law, municipal or otherwise, or by any Statute of the United States or of any State or Territory of the United States or of the Provinces of the Dominion of Canada or of the Colony of Newfoundland, or by the rules, regulations, orders, customs, practice or discretion of any board, body, organization, office or officer, local, municipal or otherwise, be allowed, required or permitted to be executed, made, taken, given, tendered, accepted, filed or recorded for the security or protection of, by or for any person or persons, corporation, body, office, interest, municipality or other association or organization whatsoever, in any and all capacities whatsoever, conditioned for the doing or not doing of anything or any conditions which may be provided for in any such bond, recognizance, obligation, stipulation, or undertaking, or anything in the nature of either of the same.

I, W. J. D. Somerville, Jr. , an Assistant Secretary of the UNITED STATES FIDELITY AND GUARANTY COMPANY, do hereby certify that the foregoing is a full, true and correct copy of the original power of attorney given by said Company to Rodney C. Power

of Grand Junction, Colorado, authorizing and empowering him to sign bonds as therein set forth, which power of attorney has never been revoked and is still in full force and effect.

And I do further certify that said Power of Attorney was given in pursuance of a resolution adopted at a regular meeting of the Board of Directors of said Company, duly called and held at the office of the Company in the City of Baltimore, on the 11th day of July, 1910, at which meeting a quorum of the Board of Directors was present, and that the foregoing is a true and correct copy of said resolution, and the whole thereof as recorded in the minutes of said meeting.

In Testimony Whereof, I have hereunto set my hand and the seal of the UNITED STATES FIDELITY AND GUARANTY COMPANY on July 15, 1975

(Date)

Assistant Segretary.

ST. P. FIRE AND MARINE INSURANCE PANY ST. PAUL, MINNESOTA

CERTIFIED COPY OF POWER OF ATTORNEY

Fidelity and Surety
Department

Original on File at Home Office of Company. See Certification.

KNOW ALL MEN BY THESE PRESENTS: That the St. Paul Fire and Marine Insurance Company, a corporation organized and existing under the laws of the State of Minnesota, and having its principal office in the City of Saint Paul, Minnesota, does hereby constitute and appoint

Warren L. Knutsen, Joyce Skaggs, Denora May, C. W. Briggs, III, individually,

Denver, Colorado

its true and lawful attorneys(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, and the execution of such instrument(s) in pursuance of these presents, shall be as binding upon the said St. Paul Fire and Marine Insurance Company, as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be certified to and may be revoked, pursuant to and by authority of Article V,—Section 6(C), of the By-Laws adopted by the Board of Directors of the ST. PAUL FIRE AND MARINE INSURANCE COMPANY at a meeting called and held on the 23rd day of January, 1970, of which the following is a true transcript of said Section 6(C).

"The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary, shall have power and authority

(1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and

(2) To appoint Special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-Laws of the Company, and

(3) To remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the 6th day of May, 1959, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future, with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, the St. Paul Fire and Marine Insurance Company has caused this instrument to be signed and

its corporate seal to be affixed by its authorized officer, this

12th day of

A. D. 19 75

(A Capital Stock Company)

ST. PAUL FIRE AND MARINE INSURANCE COMPANY

June

STATE OF MINNESOTA
County of Ramsey

Vice President.

On this

12th day of

June

19 75, before me came the individual who executed the preceding instrument,

to me personally known, and, being by me duly sworn, said that he is the therein described and authorized officer of the St. Paul Fire and Marine Insurance Company; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

OTARIA SENTENCE OF THE SENTEN

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the City of Saint Paul, Minnesota, the day and year first above written.

Notary Public, Ramsey County, Minn. My Commission Expires April 27, 1976

CERTIFICATION

I, the undersigned officer of the St. Paul Fire and Marine Insurance Company, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney,* with the ORIGINALS ON FILE IN THE HOME OFFICE OF SAID COMPANY, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this

22nd day of

December

19 75

Larney W. Canl Secretary.

*Unlimited as to character and amount.

10870 CPS Rev. 10-74 Printed in U.S.A.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL AND GAS CONSERVATION

$\underline{B} \ \underline{O} \ \underline{N} \ \underline{D}$

KNOW ALL MEN BY THESE PRESENTS,

That WE:	ROBERT S. WEST	
of County of:	Mesa	in the state of: Colorado
as Principal and	UNITED STATES FIDELI	TY AND GUARANTY COMPANY
State in the payment, will Division of C	penal sum as indicate and truly be made to il and Gas Conservat: ecutors, administrate	ess in this State, are held and firmly bound unto the ed, lawful money of the United States, for which the State of Utah for the use and benefit of the ion, we bind ourselves, and each of us, and each of ors or successors, and assigns jointly and severally,
proposes to d	rill a well or wells	oligation is that whereas the above bounden principal for oil, gas or stratigraphic purposes in and upon ated within the State of Utah, to wit:
(May be used Township 19	as blanket bond or fo	Section 20: SE/4; Section 21: SW/4 SW/4; Section 29: N/2;
Township 19	South, Range 23 East,	Section 18: N/2 NE/4; Section 19: E/2 NE/4
provisions of the Division to, the prope State, all no obligation is	the laws of this Start of Oil and Gas Conserver plugging of said we tices and records record; otherwise, the	bove bounden principal shall comply with all of the ate, and the rules and regulations and orders of rvation of the State, including, but not limited ell or wells, and filing with said Division of the quired by said office, then this office, then this e same shall be and remain in full force and effect.
		0/100 (\$5,000.00)State of Utah
Witness our h	ands and seals, this	15th day of July, 1975
	-	Robert S. West Principal
Witness our h	ands and seals, this	15th day of July, 1975 UNITED STATES EIDERITY AND GUARANTY COMPANY
		Rodney C. Power Surety Attorney-in-Fact
Approved as t	o form and execution	: :
ATTORNEY GENE	CRAL	
By:		
Date:		

(If the principal is a corporation, the bond should be executed by its duly authorized officers, with the seal of the corporation affixed. When principal or surety executes this bond by agent, power of attorney or other evidence of authority must accompany this bond)

*Blanket Bond - \$25,000.00

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL & GAS

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Lease Designation and Serial No.

APPLICATION I	OR PERMIT TO	DRILL, DEEPEI	N, OR PLUG	BACK 6. If Indian, Allottee or Tribe Name
b. Type of Well Oil Gas Well Gas Well Value of Operator	X .	EEPEN [PLUG BA	7. Unit Agreement Name FarmoutAgreement Agate altiple 8. Farm or Lease Name
Robert S. West				9. Well No. Jacobs Kewanee No. 1
1983 E 7/8 Road 4. Location of Well (Report	, Grand Juncti	on Colo. 8150	1	10. Field and Pool, or Wildcat Cisco Springs North Gas
At surface South 660 feet fromoptheoriest B	from the North	Boundary & E	ast 660 feet	11 0 m D M DU
14. Distance in miles and dir Approx 14 Miles		•	les West of	12. County or Parrish 13. State Grand County, Utah
location to nearest property or lease line, ft. (Also to nearest drlg. line 18. Distance from proposed lease to the control of	, if any) 660 ocation*	16. No.	of acres in lease	17. No. of acres assigned to this well 10 20. Rotary or cable tools
to nearest well, drilling, or applied for, on this lea 21. Elevations (Show whether	se, ft. None in	this lease	3800 •	Rotary 22. Approx. date work will start*
4980 23.	GR			As Soon As Approved
		POSED CASING AND	- 	
Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
614	43211	21 1b 9.5 1b	<u>150</u> 3800	40 sacks 30 sacks
on surface pipe 2. Jacobs Rota		B.O.P.		to 1000 psi after cement job
luctive zone. If proposal is preventer program, if any.				data on present productive zone and proposed new pros and measured and true vertical depths. Give blowout
1/2	State office use)	TitleOpe	rator	Date7=20=75
Permit No. 43-6	State office use) 019-30250			Date 7-20-75

PILE NOTATIONS	,
FILE NOTATIONS	
Date: 4 1975	Ω
The state of the state of	/ House
Operator: Will William	
Well No: Jaktus Kewane #/	1 /
Location: Sec. 28 T. 195 R. 23E County: Many	
File Prepared Entered on N.I.D.	
Card Indexed Completion Sheet	Section and section of the section o
	and the second s
Checked By:	
Administrative Assistant:	
Remarks:	
of V	
Petroleum Engineer/Mined Land Coordinator:	
Remarks:	
Director:	
Remarks:	
Include Within Approval Letter:	
Bond Required Survey Plat Requi	red
Order No. Blowout Prevention	n Equipment
Rule C-3(c) Topographical exception/company owns or con	
within a 660' radius of proposed site	<u> </u>
0.K. Rule C-3 0.K. In	Unit
Other:	
Letter Written	
11. 1	
2/5/15 Januart agreement munu	aux,
2/5/15 Sarmont Agreement Sleure Were To be assumed by	Willand the
	a wal
Plant Sond for Robert S. what - 9-19	N-H
	• -

July 30, 1975

Robert S. West 1983 E. 7/8 Road Grand Junction, Colorado 81501

Re: Jacobs Kewanee #1
Sec. 28, T. 19 S, R. 23 E,
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with Rule C23, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer HOME: 272-5813 OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-019-30250.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT DIRECTOR

CBF:sw

A Y

FRANK B. ADAMS

Oil Properties

CORPUS CHRISTI, TEXAS 78403 512-884-9004

Well- ill

716 WILSON BUILDING

P. O. BOX 406



December 5, 1975

Re: Cisco Area Grand County, Utah

Oil & Gas Conservation Commission 1588 W. North Temple Salt Lake City, Utah 84116

Attention: Mr. Cleon Feight, Director

Gentlemen:

During July 1975, your office approved an application to drill the following test well in Grand County, Utah

Robert S. West's Jacobs Kewanee # 1
API number 43-019-30250

This well was to be drilled on a farmout from Kewanee Oil Company of Tulsa negotiated by the undersigned. Mr. West was unable to commence the required test within the time permitted by the farmout agreement and as a result has no further interest in the lease or well permit.

As I informed you today, I concluded a deal with Willard Pease Oil and Gas Company of Grand Junction, Colorado and Kewanee to have Pease drill a test at the same location permitted to Mr. West. This well is to commence on or before January 10, 1976, the expiration date of the Kewanee lease, so you can expect Pease to file his application soon.

Thank you for your assistance in the past.

Sincerely yours,

Frank B. Clans.

FBA/g

cc: Robert S. West
Willard Pease Oil & Gas Co.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

B C N D

BOND NO. 400 EM 5036

KNOW ALL MEN BY THESE PRESENTS,

WE: Willard Pease Oil and Ga	s Co.	
of County of: Mesa	in the state of:	Colorado
as principal		
and St. Paul Fire and Marine	Insurance Company	
es surety, authorized to do busines State in the penal sum as indicated bayment, will and truly be made to Division of Oil, Gas, and Mining, wour heirs, executors, administrator Firmly by these presents.	, lawful money of the Unit the State of Utah for the me bind curselves, and each	ed States, for which use and benefit of the of us, and each of
The condition of this obloroposes to drill a well or wells fine following described land situat	igation is that wheras the or oil, gas or stratigraph ed within the State of Uta	ic purposes in and upon
360 Acres, Sec 20 SW/4 S May be used as blanket bond or for	E/4; Sec 21; SW/4 SW/4 and single well)	Sec 28; NW/4 NW/4.
77/0 W1/4 and W77/4 Marmah	in 10 Courts Dames 07 Heat	Grand Ga Thab
E/2 NW/4 and NE/4 Townsh	ip 19 South Range 23 East,	Grand Co., Utan
to, the proper plugging of said well State, all notices and records required obligation is void; otherwise, the Penal Sum of Five thousand and no	fired by said office, then same shall be and remain i	this office, then this n full force and effect.
Witness our hands and seals, this_	day of	
	Willard Pease Oil and Ga	s Co.
	BY: William Principal	t Pears
Witness our hands and seals, this 2	2nd day of Decembe	er 1975
_	ST. PAUL FIRE AND MARINE	INSURANCE COMPANY
	180	man may
	Surety	nora May, Attorney-in-Fa
Approved as to form and execution:	Jan Jan	
ATTORNEY GENERAL	Utah Resident Agent	0.4. 9.4
By: Date:	A STATE MODIFIES MODIFIES AND ADDRESS OF THE PARTY OF THE	Rogers, Inc. S.K. O. W.
(If the principal is a corporation officers, with the seal of the corporation this bond by agent, power of attorn	poration affixed. When pri	incipal or surety executes

this bond)

*Blanket Bond - \$25,000.00

Single Well - \$5,000.00

Sordon Engineering, Inc.

Consulting Engineers

Specialists in Oil & Gas

P. O. Box 3052 822 North Avenue Grand Junction, Colo. 81501 (303) 245-1958

January 19, 1976

Re: Kewanee Well No. 1 660' FNL, 660' FWL, Sec. 6 - 19S-23E Grand County, Utah

Mr. Cleon B. Feight, Director Utah Division of Oil, Gas, and Mining 1588 West North Temple Salt Lake City, Utah 84116

Dear Sir:

We are enclosing an Application for a Permit to Drill the above referenced well. The original of the required bond is enclosed also. Your prompt handling of our A. P. D. is greatly appreciated.

Sincerely,

John I. Gordon

John I. Soul

JIG/jmt Enclosures

cc: Willard H. Pease

January 23, 1976

Willard Pease 611 & Gas Company P.O. Box 548 Grand Junction, Colorado 81501

Re: Well No. Kewanee #1
Sec. 28, T. 19 S, R. 23 E,
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-5.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer HOME: 582-7247 OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-019-30255.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

CLEON B. FEIGHT DIRECTOR

CBF:sw

Lease:KEWANEE Well #:1-28

Spud Date: Ø1/31/1976 KB: Ø TD: 3363

API #: 43-Ø19-3Ø255-Location: Sec 28 Twn 19S Rng 23E County: GRAND State: UTAH Field: GREATER CISCO Operator: PEASE, WILLARD

			Start Size
Ø	Y//X/X	1/1///	End Length Description
			1
		D1777	Ø. Ø 12.250 Hole: SURFACE
		\bowtie	156. Ø 156. Ø
			Ø.Ø Cement: 9Ø SKS TO SURFACE 156.Ø 156.Ø
310-		\bowtie	Ø. Ø 7. 625 Casing: 26. 6# CASING
		\sim	156.0 156.0
		\bowtie	
	M	\mathbb{N}	
62Ø		\sim	
025			
	N N	\mathbb{N}	
		\sim	
		\bowtie	·
		\square	
93Ø—	\mathbb{N}	\bowtie	
		\aleph	
	K	N	
}		\sim	
	N	13	`
	[2]	8	
1240		N	
	A		
		N	
155Ø			
1005			•
		\mathbb{N}	
		\bowtie	
		\bowtie	
1860-		13	
		N .	
		N	
		\bowtie	
		\aleph	
2170-		\mathbb{N}	
		N	
		N	
		N	
	M	N	
		[3]	
248Ø	14	<i>(</i> 4	
2,00			
	/ 集	注	2564.0 Perf: 2 SHOTS PER FOOT
	/孝	注	2568. Ø 4. Ø
	/	F	2634. Ø Perf: 2 SHOTS PER FOOT
			2648.0 14.0
		\mathbb{N}	
279Ø—			156.0 6.750 Hole: PRODUCTION
		[8]	3011.0 2855.0
		\bowtie	Ø. Ø 4.500 Casing: 10.5# CASING
	M		3011.0 3011.0
•	2		Ø.Ø Cement: 1ØØ SKS WITH 2% CACL
			3011.0 3011.0

Comp Date: Ø2/13/1976 ELEV: 498Ø PBTD: 265Ø

STATE (OF UTAH	SUBMIT IN TRIPLICATE.	•		
OIL & GAS CONSERVA	TION COMMISSION	(Other instructions on reverse side) 5. LEASE DESIGNATION AND SERIAL			
SUNDRY NOTICES (Do not use this form for proposals to Use "APPLICATION"	6. IF INDIAN, ALLOTTE	OR TRIBE NAME			
i. OIL GAS WELL OTHER		***************************************	7. UNIT AGREEMENT NA	MB	
2. NAME OF OPERATOR			8. FARM OR LEASE NAM	iD .	
Willard Pease Oil & Ga	s Co.		Kewanee		
8. ADDRESS OF OPERATOR		· · · · · · · · · · · · · · · · · · ·	9. WELL NO.		
P. O. Box 548, Grand J	unction, Colorad	lo 81501	1		
4. LOCATION OF WELL (Report location clearly a See also space 17 below.)	nd in accordance with any State	e requirements.*	10. FIELD AND POOL, OR WILDCAT		
			Cisco Sprin	ıgs North	
660. ENL, 660.	FWL, Sec. 6, T99 County,		11. SEC., T., B., M., OR B SURVEY OR AREA	LE. AND	
	_		Sec. % T19	S, R23E, SLM	
14. PERMIT NO. 15. 1	LEVATIONS (Show whether DF, RT,	OR, etc.)	12. COUNTY OF PARISH	18. STATS	
	4980' G.L.		Grand	Utah	
16. Check Appropri	ate Box To Indicate Natur	e of Notice, Report, or C	other Data		
NOTICE OF INTENTION TO	ENT REPORT OF:				
TEST WATER SHUT-OFF PULL OF	ALTER CASING	WATER SHUT-OFF	REPAIRING V	PBLL	
FRACTURE TREAT MULTIPE	E COMPLETE	FRACTURE TREATMENT	ALTERING CA	BING	
SHOOT OR ACIDIZE ABANDOL		SHOOTING OR ACIDIZING	ABANDONMEN	iT*	
REPAIR WELL CHANGE	PLANS	(Other) Setting	Casing of multiple completion	X	
(Other)	etion Report and Log for	m.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Spudded Well 10:00 P.M. 1-31-76

Set 156' of 7 5/8"=26.6# casing with 90 Sx cement. Circulated to surface.



18. I hereby certify that the foregoing is true and correct SIGNED	TITLE	President	DATE 2-6-76	
(This space for Federal or State office use)				
APPROVED BY	TITLE		DATE	



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

i	Form approved. Budget Bureau No.	42–R3	56.5.
LAND OFFICE .			<u>'U</u>
LEASE NUMBER	l		
JNIT	**********	Δ	
		\mathcal{A}	

LESSEE'S MONTHLY REPORT OF OPERATIONS

wells) j	or th	e mon	th of	J	anuary		., <i>19</i> 7.6,			Irilling and producing
										Pease Oil & Gas Co
										ident
SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL No.	DATS PRODUCED	Barrels of Oil	GRAVITY	Cv. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARREIS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, eause; date and result of test for pascline content of gas)
Kewan	e L	ease								
Sec.5	1	23E	1	-						Spudded at 10:00
1444-241444-1	4									p.m. 1-31-76
						i.	MATTER	>		
							RECENT!			
							FB 9			
							GAS. & No.	[3]		
						T.	OTTE C			
Non	n.—Ti	iere we	re	No		_ runs or	sales of oil;	No		M cu. ft. of gas sold;

NO runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329 (January 1950)

6		/			*			1.
	100	2 h)		\bigcirc	PI
1 OGCC- \$	111,1840	E					1	•
300	N. OF TIME	RSTATE	OF UTAH	SUBMIT	IN DUPLICATE • (See other in	n-		
	CD 4 711	ONSERV	ATION CO	MMISSION	structions o reverse side	n 5 IPAGE DES	IGNATION AN	D SERIAL N
WELL	ON ETION	CO PECCI	ADI ETION	REPORT A	ND LOG*	6. IF INDIAN,	ALLOTTEE OF	TRIBE NA
WELL COA	TIGHT.	GAS WELL &		Other	110 100	7. UNIT AGRE	EMENT NAME	
b. TYPE OF COMP				otne:				
	WORK DEEP-	PLUG BACK	DIFF. RESVR.	Other		S. FARM OR I		
NAME OF OPERATOR Willard Pea		Gas Co.				9. WELL NO.	<u> </u>	
. ADDRESS OF OPERA	TOR					_ I		
P. O. Box !	548, Grand	Junction,	Colorado	81501		10. FIELD AND		_
. LOCATION OF WELL	(Report location	clearly and in c	accordance with a	iny State requirem S. R23E, G	rand County	Cisco Sp	prings N	K AND SURV
			Utah'		-	Sec. 28		
At top prod. inter	vai reported belo	₩				. 560. 20	, 1130,	75 7E 1
At total depth			14. PERMIT N	0 84	TE ISSUED	12. COUNTY O	R 13.	STATE
			H3-019-		1# 1000 # <i>U</i>	PARISH Grand	·	tah
. DATE SPUDDED	16. DATE T.D. RE.	ACHED 17. DAT	E COMPL. (Ready		LEVATIONS (DF, RKI		19. ELEV. C	
1-31-76	2-11-76	2-	-13-76		980' G.L.		4980'	
. TOTAL DEPTH, MD &	1	BACK T.D., MD &		LTIPLE COMPL., MANT*	23. INTERVALS	¥ .	LS CAI	SLE TOOLS
3363 PRODUCING INTERV		981'	P. BOTTOM. NAME	(MD AND TVD)*		<u> </u>		DIRECTION
				` '			No.	SY MADE
Dakota - T	op 2422',	Bottom 265	50 '				, NO	
			50 ' 				27. WAS WE	LL CORND
3. TYPE ELECTRIC AN	D OTHER LOGS RU		50 '	<u> </u>				LL CORND
IFS, FDC-C	D OTHER LOGS RE	UN CAS	ING RECORD (R	eport all strings se			27. WAS WEI	
IFS, FDC-C	NL WEIGHT, LB./F	CAS:	ING RECORD (R	HOLE SIZE	CEMENTIN	G RECORD	27. WAS WEI	
IFS, FDC-C CASING SIZE 7 5/8"	WEIGHT, LB./F	CAS: t. DEPTH SE	ING RECORD (R	12 1/4"	90 Sx to	G RECORD Surface	27. WAS WEI	
IFS, FDC-C	NL WEIGHT, LB./F	CAS:	ING RECORD (R	HOLE SIZE	CEMENTIN	G RECORD Surface	27. WAS WEI	
IFS, FDC-C CASING SIZE 7 5/8"	WEIGHT, LB./F	CAS: t. DEPTH SE	ING RECORD (R	12 1/4"	90 Sx to	G RECORD Surface	27. WAS WEI	
IFS, FDC-C CASING SIZE 7 5/8" 4 1/2"	WEIGHT, LB./F 26.6# 10.5#	CAS: 1. DEPTH SE 3011	ING RECORD (RET (MD) F	12 1/4" 6 3/4"	90 Sx to 100 Sx w/2	Surface % CaCl	27. WAS WEINO NO AMOU	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C CASING SIZE 7 5/8" 4 1/2"	WEIGHT, LB./F 26.6# 10.5#	CAS: T. DEPTH SE 156 3011	ING RECORD (R	12 1/4" 6 3/4"	90 Sx to 100 Sx w/2 30.	Surface % CaCl TUBING RECO	27. WAS WEINO NO AMOU	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2"	WEIGHT, LB./F 26.6# 10.5#	CAS: 1. DEPTH SE 3011	ING RECORD (RET (MD) F	12 1/4" 6 3/4"	90 Sx to 100 Sx w/2	Surface % CaCl	27. WAS WEINO NO AMOU	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2"	WEIGHT, LB./F 26.6# 10.5#	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD)	ING RECORD (RET (MD) F	12 1/4" 6 3/4" screen (MD)	90 Sx to 100 Sx w/2 30.	Surface Surface CaCl TUBING RECO	27. WAS WED NO AMOU	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2"	WEIGHT, LB./F 26.6# 10.5#	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD)	ING RECORD (RET (MD) F	12 1/4" 6 3/4" screen (MD)	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	Surface Surface CaCl TUBING RECO	PACE	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2"	WEIGHT, LB./F 26.6# 10.5# TOP (MD) ORD (Interval, size	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD)	ING RECORD (RET (MD) F	12 1/4" 6 3/4" screen (MD) 32.	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	Surface % CaCl ₂ TUBING RECO DEPTH SET (M) 2540 CTURE, CEMENT	PACE	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" SIZE PERFORATION RECO 2564-2568	WEIGHT, LB./F 26.6# 10.5# TOP (MD) ORD (Interval, size	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD)	ING RECORD (RET (MD) F	12 1/4" 6 3/4" screen (MD) 32.	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	Surface % CaCl ₂ TUBING RECO DEPTH SET (M) 2540 CTURE, CEMENT	PACE	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" SIZE PERFORATION RECO 2564-2568	WEIGHT, LB./F 26.6# 10.5# TOP (MD) ORD (Interval, size	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD)	ING RECORD (RET (MD) F	12 1/4" 6 3/4" screen (MD) 32.	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	Surface % CaCl ₂ TUBING RECO DEPTH SET (M) 2540 CTURE, CEMENT	PACE	UNT PULLE
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2" SIZE 2564-2568' 2634-2648'	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DRD (Interval, size W/2 SPF W/2 SPF	CAS: 1. DEPTH SE 3011 AINER RECORD BOTTOM (MD) e and number)	ING RECORD (R ET (MD) E 6	SCREEN (MD) 32. DEPTH INTER	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	TUBING RECO DEPTH SET (M) 2540 TOTURE, CEMENT	PACKING OF MATERIA	ETC.
TYPE ELECTRIC AN IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" 6. SIZE 2. PERFORATION RECC 2564-2568' 2634-2648'	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DED (Interval, etc.) W/2 SPF W/2 SPF	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD) e and number)	ING RECORD (R ET (MD) E 6	SCREEN (MD) 82. DEPTH INTER	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	TUBING RECO DEPTH SET (M) 2540 TOTURE, CEMENT	PACKING OF MATERIA	ETC.
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2" 8. PERFORATION RECC. 2564-2568' 2634-2648' 3.* Shut-In	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DED (Interval, etc.) W/2 SPF W/2 SPF	CAS: 1. DEPTH SE 3011 AINER RECORD BOTTOM (MD) e and number)	ING RECORD (R ET (MD) F 6	SCREEN (MD)	90 Sx to 100 Sx w/2 30. 812E 2 3/8" ACID, SHOT, FRA	TUBING RECO DEPTH SET (M) 2540 TOTURE, CEMENT	PACK T SQUEEZE, D OF MATERI. STATUS (Pro	ETC.
TYPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2" 8. PERFORATION RECC. 2564-2568' 2634-2648' 3.* Shut-In	WEIGHT, LB./F 26.6# 10.5# TOP (MD) ORD (Interval, size W/2 SPF W/2 SPF	CAS: T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD) e and number)	ING RECORD (R ET (MD) E 6	SCREEN (MD)	30. SIZE 2 3/8" ACID, SHOT, FRA WAL (MD) d type of pump)	TUBING RECORD TUBING RECO DEPTH SET (M) 2540 CTURE, CEMENT AMOUNT AND KINI WATER—BBL	PACK PACK PACK PACK PACK PACK PACK PACK	ETC. AL USED ducing or In
IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" A 1/2"	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DED (Interval, size W/2 SPF W/2 SPF M/2 SPF M/2 SPF M/2 SPF	CAS: 1. DEPTH SE 3011 INER RECORD BOTTOM (MD) c and number) ction method (mut-In Choke Size -	PROD'N. FOR TEST PERIOD	ODUCTION pumping—sise an	30. SIZE 2 3/8" ACID, SHOT, FRA WAL (MD) d type of pump) 048 MCF. WATE	TUBING RECO DEPTH SET (M) 2540 TOTURE, CEMENT AMOUNT AND KING	PACK T SQUEEZE, D OF MATERI. STATUS (Pro	ETC. AL USED ducing or In
IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" A 1/2"	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DRD (Interval, size W/2 SPF W/2 SPF W/2 SPF ON PRODU Sh HOURS TESTED 24 CASING PRESSUR	CAS: T. DEPTH SE 156 3011 INER RECORD BOTTOM (MD) c and number) CTION METHOD (LUT-In CHOKE SIZE 24-HOUR RA'	PROD'N. FOR TEST PERIOD OIL—BBL.	SCREEN (MD) SCREEN (MD) SCREEN (MD) DEPTH INTER ODUCTION pumping—size an OIL—BÉL.	30. SIZE 2 3/8" ACID, SHOT, FRA WAL (MD) d type of pump) 048 MCF. WATE	TUBING RECORD TUBING RECORD DEPTH SET (M) 2540 CTURE, CEMENT AMOUNT AND KING WELL AND WATER—BBL	PACKING PACKIN	ETC. AL USED ducing or In
IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" 3. SIZE ATE FIRST PRODUCTION OF TEST 2-13-76 LOW. TUBING PRESS. 90 4. DISPOSITION OF GA	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DRD (Interval, size W/2 SPF W/2 SPF W/2 SPF ON PRODU Sh HOURS TESTED 24 CASING PRESSUR	CAS: T. DEPTH SE 156 3011 INER RECORD BOTTOM (MD) c and number) CTION METHOD (LUT-In CHOKE SIZE 24-HOUR RA'	PROD'N. FOR TEST PERIOD OIL—BBL.	ODUCTION pumping—sise an	30. SIZE 2 3/8" ACID, SHOT, FRA WAL (MD) d type of pump) 048 MCF. WATE	TUBING RECORD TUBING RECO DEPTH SET (M) 2540 CTURE, CEMENT AMOUNT AND KINI WATER—BBL	PACKING PACKIN	ETC. AL USED ducing or In
IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" 3. SIZE A PERFORATION RECC 2564-2568' 2634-2648' Shut-In ATE OF TEST 2-13-76 LOW. TUBING PRESS. 90 4. DISPOSITION OF GA Shut-In 5. LIST OF ATTACHM	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DED (Interval, etc.) W/2 SPF W/2 SPF W/2 SPF AS (Sold, used for tents	CASI T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD) c and number) CTION METHOD (AUT-In CHOKE SIZE 24-HOUR RAY fuel, vented, etc.	PROD'N. FOR TEST PERIOD OIL—BBL.	SCREEN (MD) SCREE	30. SIZE 2 3/8" ACID, SHOT, FRA WAL (MD) d type of pump) GAS—MCF. 9,980 WATE	TUBING RECORD TUBING RECORD DEPTH SET (M) 2540 CTURE, CEMENT AMOUNT AND KING WELL AND WATER—BBL	PACKING PACKIN	ETC. AL USED ducing or In
TIPE ELECTRIC AN IFS, FDC-C. CASING SIZE 7 5/8" 4 1/2" 3. SIZE 2564-2568' 2634-2648' 3. Shut-In ATE OF TEST 2-13-76 LOW. TUBING PRESS. 90 4. DISPOSITION OF GAS Shut-In 5. LIST OF ATTACHM *Previous P	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DED (Interval, size W/2 SPF W/2 SPF W/2 SPF AS (Sold, used for LENTS DED (Sold, used for LENTS DESCRIPTION TO SERVER TO SE	CAST T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD) c and number) CTION METHOD (LUT-In CHOKE SIZE 24-HOUR RAY fuel, vented, etc.	ING RECORD (R ET (MD) F 6 '	ODUCTION pumping—sise an OIL—BÉL. GAS—MO 9.9	30. SIZE 2 3/8" ACID. SHOT. FRA WAL (MD) d type of pump) GAS—MCF. 9,980 COTTECT.	TUBING RECORD TUBING RECORD TUBING RECORD DEPTH SET (M) 2540' CTURE, CEMENT AMOUNT AND KIND WATER—BBL	27. WAS WENNO NO AMON AMON DRD D) PACK F SQUEEZE, D OF MATERI STATUS (Pro t-in) Shut- GAS-OI OIL GRAVITY	ETC. AL USED ducing or In
IFS, FDC-C CASING SIZE 7 5/8" 4 1/2" 3. SIZE A PERFORATION RECC 2564-2568' 2634-2648' Shut-In ATE OF TEST 2-13-76 LOW. TUBING PRESS. 90 4. DISPOSITION OF GA Shut-In 5. LIST OF ATTACHM	WEIGHT, LB./F 26.6# 10.5# TOP (MD) DED (Interval, size W/2 SPF W/2 SPF W/2 SPF AS (Sold, used for LENTS DED (Sold, used for LENTS DESCRIPTION TO SERVER TO SE	CAST T. DEPTH SE 156 3011 JINER RECORD BOTTOM (MD) c and number) CTION METHOD (LUT-In CHOKE SIZE 24-HOUR RAY fuel, vented, etc.	ING RECORD (R ET (MD) F 6 '	ODUCTION pumping—sise an OIL—BÉL. GAS—MO 9.9	30. SIZE 2 3/8" ACID. SHOT. FRA WAL (MD) d type of pump) GAS—MCF. 9,980 COTTECT.	TUBING RECORD TUBING RECORD TUBING RECORD DEPTH SET (M) 2540' CTURE, CEMENT AMOUNT AND KIND WATER—BBL	27. WAS WENNO NO AMON AMON DRD D) PACK F SQUEEZE, D OF MATERI STATUS (Pro t-in) Shut- GAS-OI OIL GRAVITY	ER SET (MI ETC. AL USED ducing or In L BATIO

NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or Stee instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

When 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

Prederal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hem 22: Indicate which elevation is used as reference (where not otherwise shown) for experience (multiple completion), so state in item 22, and in item 24 show the producing interval is completed for separate production from more than one interval reported in Item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacist Onemier": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF PORC SHOW ALL IMPORT DEPTH INTERVAL!	DUS ZONES: Tant zones of Poi Tested, cushion	ROSITY AND CONTENT USED, TIME TOOL OP!	87. SUMMARY OF POROUS ZONES. IN THE STATEMENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING SHOW ALL INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, PLOWING AND SHUT-IN PRESSUESS, AND RECOVERIES	38.	GEOLOGIC MARKERS	
PORMATION	Top	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	2
				MAM	MEAS. DEPTH	TRUE VERT. DEPTH
				Dakota	24221	
				Morrison	2650'	
						:
				*:		-

CIRCULATE TO:

DIRECTOR

PETROLEUM ENGINEER

MINE COORDINATOR

ADMINISTRATIVE ASSISTANT

ALL

RETURN TO

FOR FILING

L

March 1, 1976

MEMO FOR FILING

Re: Willard Pease

**Example **- Kewanee #1

NW NW Sec. 28, T. 19 S., R. 23 E.

Grand County, Utah

This location was checked on February 26, 1976. Production casing has been set. The well-head has not yet been dressed out and the location has not been cleaned. Apparently, the production casing had been set a relatively short time ago.

PATRICK L. DRISCOLL CHIEF PETROLEUM ENGINEER

PLD/lc

cc: U.S. GEOLOGICAL SURVEY



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL AND GAS CONSERVATION 1588 West North Temple Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name and Number Kewanee	e Well No. 1	
Operator Willard Pease Oil	& Gas Co.	
Address P. O. Box 548	8, Grand Junction, Colorado 81501	<u> kangaran</u>
Contractor Willard Pease Dr.	illing Co.	***************************************
Address P. O. Box 548	8, Grand Junction, Colorado 81501	·
Location <u>NW 1/4</u> , <u>NW 1/4</u> , Sec. <u>2</u>	28; T. 19 N; R. 23 E; Grand Co	ounty
Water Sands:		
<u>Depth:</u> From- To-	Volume: Quality Flow Rate or Head - Fresh or S	<u>y</u> : Salty –
1. 0-2565'	None Found - Drilled with air	white the same of
2. 2565'-3340'	Several sands which are hydrocarbon	<u>productive</u>
3. 3340'-3364'	Possible	
4.		
5		
	(Continue on Reverse Side if Necessary)	
Formation Tops: Dakota 24		

Morrison 2650'

Upon diminishing supply of forms, please inform this office. NOTE: (a)

Report on this form as provided for in Rule C-20, General Rules (b)

And Regulations and Rules of Practice and Procedure.

If a water quality analysis has been made of the above reported (c) zone, please forward a copy along with this form.

April 6, 1976

Willard Pease Oil & Gas P.O. Box 548 Grand Junction, Colorado

Re: Bond No. 400-EN-8245

Dated: March 17, 1976

Amount: \$25,000 St. Paul Fire & Marine Insurance Co.

Dear Mr. Pease:

This Division is in receipt of the above referred to blanket bond covering drilling and plugging operations on all fee lands within the State of Utah.

Inasmuch as this bond will contain that acreage currently covered by your Bond No. 400-EM-5036, dated December 22, 1975, we are hereby releasing liability for your \$5,000 bond effective this date.

Should you require additional information or have specific questions relative to the above, please do not hesitate to call.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT DIRECTOR

CBF:sw

то		Jas and Mining Utah 84101	TH	THE HOME LOAN and INVESTMENT 145 NORTH 4th STREET GRAND JUNCTION, COLORADO 8150 Telephone: Area Code 303 - 242-3366				
SUBJECT:_	Willard Pease C	il and Gas			DATE:	4-2-76		
FOLD	As you should n	ow have in your file bl	Lanket b	ond #400 EN	3245, you	should no		
	lnnger need the	following and ask that	t you pl	ease return	them to us	s for		
	cancellation:	400 EM 5036, 400EM 5	5157, 40	OODX 7077.				
	Thank you kindl	у•						
	-					·		
_		· · · · · · · · · · · · · · · · · · ·						
			<u> </u>					
PLEASE	REPLY TO	SIGNED Ins. Dept.		E. Ladage	9			
	PLEASE REF	ER TO THE ATTACHED						
		SCH	IEREE WI	LCOX				
		Adm	inistra	tive Assistar	it			
			· · ·		, , , , , , , , , , , , , , , , , , , 			
DATE	April 9, 1976	SIGNED						

FROM

SEP 10 1976 DIVISION CO. GAS, & MINING

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL & GAS CONSERVATION

1588 WEST NORTH TEMPLE SALT LAKE CITY, UTAH 84116 328-5771

State Lease No
Federal Lease No
Indian Lease No
Fee & Pat

REPORT OF	OPERATIONS AND	WELL STA	ATUS REF	ORT

STATE Utah COUNTY Grand FIELD/LEASE Sicso Springs North

Ager		ress Gran	Qu nd J	e <i>gust</i> PO Box	548 , co. 815	76	• ₁	ηy Will	ard Pease	Oil & Gas Co.
Sec. and % of %	Twp.	Range	Well No.	Days Produced	Barrels of Oil	Gravity	Cu. Ft. of Gas (In thousands)	Gallons of Gasoline Recovered	Barrels of Water (if none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
28 NW N	19S	23E	1		em 	-	-	-	•	Shut in
			/							

September 17, 1976

Beckner/Power Insurance Company 440 North First Street P.O. Box 1329 Grand Junction, Colorado

Re: Drilling & Plugging Bond

Robert S. West Amount: \$5,000.00 Date: July 15, 1975

Gentlemen:

Please be advised that as this Division is in receipt of a replacement bond for those lands covered under the above, and no longer leased by Robert West, we are hereby terminating liability under the bond written on behalf of Mr. West by your company.

Said termination shall become effective immediately, and should you have any questions relative to this matter please do not hesitate to call.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT DIRECTOR

/sw

cc: Robert S. West

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

DOGLAL DELANE 1.0' 45 manage.
LAND OFFICE UTAH
Day Office sections
LEASE HUMBER
UNIT

LESSEE'S MONTHLY REPORT OF OPERATIONS

											•
	State		UTAH		Co	ountyG	RAND	Fic	eldCIS	CO-SPRING	S-, NORTH
	m.	. foll	ດາມ ກໍກ.ຢ	is a	correc	t report of	operati	ons and pro	oduction (i	ncluding d	rilling and product
					,	SEPTEMBER		. 197.6			
	Agent's	oddr	e88	_57.Ω	Kenne	cottBuild	ing	Co	mpany Wi	l.lardPea	se_Oil_&_Gas_Co_
				Salt	Lake	City, Uta	<u>h 841</u>	<u>33 </u>	ned	7.7675655	an established
	Phone			801/	364-6	217		Ag	ent's title.	T	REMARKS
	BEC AND	Twr.	BANGE	WELL No.	DATS Proppose	BABERLS OF OIL	GRAVIT	Cv. Fr. or Gas (In thousands)	GALLONS OF GABOLINE RECOYEED	BARRIS OF WATER (U DODE, SO STATE)	(If drilling, depth; if shut down, ear date and result of test for gasoline content of gas)
						•					
	•		•			e.					
28	NW NW	195	23E	1	_		_	_	_	_	SHUT IN
20	1411			-							
								,			
				}							
										1	
		1							1	1	
]						-			
		1				1				,	
			-								
				1					1.		
•	TOTALS			1	1.		MCF		_ВО	BW	
	040.	LAGE C				OII or CO	NDENSA	TE: (bbls)	WATE	R DISPOSI	TION (bbls)
	GAS: Sold	MFC	1	NO	NE	Sold	DENOZ	NONE		it	NONE
			lare			Used_		NONE		njected	NONE
•	Used		leas		NE	Unavoi Reason		Lost <u>none</u> None		navoidabl eason .	Lost _{NONE}
	Lost F	Reaso	orl	NO NO	NE	Keason	1	NUNE	- 1	ther	NONE
		1		1 "			1				<u>.</u>
		1					İ	,		·	
•											
		1		1		1					
				1							
•									1		
									ĺ		
:								<u> </u>			<u> </u>
:	<u></u>					NO	mme	or sales of oil;	NO		M cu. ft. of gas s
	Ν̈́c	~~~ <u>~~</u> '	There v	Weie							

__ runs or sales of gasoline during the month. (Write "no" where applicable.)

Norz.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-839 (January 1950)

Form approved. Budget Bureau No. 42-E356.5.
LASE NUMBER
NOT
RATIONS

RECEIVE NOV 25	1976		\ _\	+		TMENT	ED STATES OF THE INT		LEASE NUM	Budget Bureau No. 42-E396.E
State	follow the addr	owing mon	is a	Kenned 364-6	t report of cott Buildi	operati	ons and pro , 19 Con 33 Sign	duction (in npany Will ned	lard Pea	HEMARKS (If drilling, depth; if abut down, escendate and result of test for gasoline
28NW		50.0 230	No.	Ker	and			RECOVERED	none, so state)	Shah A
Sold Vent Used Lost	ed/f on	lared lease	9 1		OIL or COI Sold_ Used_ Unavoid Reason	dably	TE: (bbls)	Pi Ir Ur Re	B.	9

Note.—There were	<u>) </u>		. rups	OT 88	les c	of oil	; <i>b</i>	_0	M cu. f	t. of gas sold
1.0.2	_	_	• •		4.1		4%	With they where explicable	1 - 1	

runs or sales of gasoline during the month. (Write "no" where applicable.)

Norz.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-829 (January 1950)

28 NW

STATE OF UTAH

→ → DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL & GAS CONSERVATION

State Lease No.
 Federal Lease No.
Indian Lease No
Fee & Pat.

1588 WEST NORTH TEMPLE SALT LAKE CITY, UTAH 84116 533-5771

REPORT OF OPERATIONS AND WELL STATUS REPORT

STAT	re!	JTAH				UNTY	GRAND	FIE	LD/LEASE	CISCO SPRINGS
The	followi	ng is a	corre DEC	ect report	of operation	ns and pr 9 76	oduction (inclu	ı ding drill in	g and produc	cing wells) for the month of:
			SA	LT LA	NECOTT B KE CITY, 84	UTAH	Compa I Signed Title	ny W]	LLARD P	EASE OIL & GAS COMPAN
nd 4	Twp.	Range	Well No.	Days Produced	Barrels of Oil	Gravity	Cu. Ft. of Gas (In thousands)	Gallons of Gasoline Recovered	Barrels of Water (if none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NW	195	K 23E		NEE -	-	1	- .	-	-	SHUT IN
:										
							,			
Solo Flan	(MCF) d red/Ver d On/O		N	IONE IONE			Produ Sold d Unave	during mont	TE: (To be rening of month NC h NC NC	ONE ONE

DRILLING/PRODUCING WELLS: This report must be filed on or before the sixteenth day of the succeeding month following production for each well. Where a well is temporarily shut-in, a negative report must be filed. THIS REPORT MUST BE FILED.

Hali en



OIL, GAS, AND MINING BOARD

GUY N. CARDON

Chairman

Scott M. Matheson Governor

GORDON E. HARMSTON Executive Director, NATURAL RESOURCES

CLEON B. FEIGHT

Director

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771

May 20, 1977

CHARLES R. HENDERSON ROBERT R. NORMAN I. DANIEL STEWART HYRUM L. LEE

Willard Pease Oil & Gas Co. P.O. Box 548 Grand Junction, CO. 81501

Re: Jacobs Kewanee #1

Sec. 38, T. 19 S.,

R. 23 E.

Grand County, Utah

Gentlemen:

Our records indicate that the above mentioned well has been producing since January 1975. To date, we have not received the "Monthly Production Report" for the months of February, March and April 1977, nor have we received Form 5 for these months. Said form requires payment of the Mill Levy to this Division in payments of 1 1/2 mills on the dollar value at the well head.

Enclosed you will find the necessary forms to be filled out and returned to this office immediately.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

LEON B. FEIGHT

DIRECTOR

CBF:tb

cc: Willard Pease Oil & Gas Co.

570 Kennecott Bldg.

S.L.C., Ut.

Enclosures



Affidavit of Publication

County of Salt Lake	
	Shana D. Conaty
1. 18 Mg	
	Being first duly sworn, deposes and says that he is legal advertising clerk of THE SALT LAKE TRIBUNE, a daily newspaper printed in the English language with general circulation in Utah, and published in Salt Lake City, Salt Lake County, in the State of Utah.
and the feet of the same	That the legal notice of which a copy is attached hereto
	Pub notice of application for well determination
	was published in said newspaper on
	Shana Ocenaty
	Legal Advertising Clerk
Subscribed and sworn to before me thi	isday o
April A	A.D. 19 79
	I G. Thomson
	Notary Public
Mr. Commission Funings	

Affidavit of Publication

STATE OF UTAH,	
County of Salt Lake	
	Shana D. Conaty
STATEMENT OF PUBLIC NOTICE Willard Pease Oil & Gas Co., 570 Kennecott Building, Salt Lake City, Utah, has made application to the Federal Energy Regulatory Commis- sion and Utah Oil and Gas Commission, for a "Determina- tion of the Maximum Lawful Price under the Natural Gas Policy Act" pursuant to PL 95-621 Section 108(b) for strip- per well netrors gas for its Kewanee No. 1-28 well-located If the Thirty Sec. 28, Township 19 South, Range 23 East, Grand County, Utah, Cisco Springs Gas Field sold to Northwest Pipeline Corporation. Comments should be directed to Mr. Cladara, Feight, Utah Oil and Gas Gommission, 1988 West North Temple, Salt Lake City, Utah Al16. (B-94)	Being first duly sworn, deposes and says that he is legal advertising clerk of THE SALT LAKE TRIBUNE, a daily newspaper printed in the English language with general circulation in Utah, and published in Salt Lake City, Salt Lake County, in the State of Utah. That the legal notice of which a copy is attached hereto
	Pub notice of application for well determination
	was published in said newspaper on
	Legal Advertising Clerk
Subscribed and sworn to before me th	isday of
April .	A.D. 19 79
	$\mathcal{A} = \mathcal{A} + $
	Notary Public
My Commission Expires	
Feb. 11, 1982	

				P
Form 9-331 (May 1963).		Up-red states	SUBMIT IN TRACCATES	Form approved. Eudget Bureau No. 42-R1424.
	DEPART	MENT OF THE INTER	RIOR verse side)	5. LEASE DESIGNATION AND SERIAL NO.
	G	EOLOGICAL SURVEY		U-16878
, ,	SUNDRY NOT	CES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
		als to drill or to deepen or plug TION FOR PERMIT—" for such		
i.		Orman on December 1	V8.7	7. UNIT AGREEMENT NAME
2. NAME OF OPERA	ELL LX OTHER	SURFACE RESTORATION	AN	8. FARM OR LEASE NAME
WILL	ARD PEASE OII	& GAS CO.		JAWBS Kewanee
3. ADDRESS OF OPE 570		G., SLC, UT 84133		No. 1-28 (TATOBSTKU
4. LOCATION OF WE See also space 1 At surface		early and in accordance with an	y State requirements.*	Cisco Springs
				11. SEC., T., B., M., OR BLK. AND SURVEY OR ABBA
	FNL, 660' FW		To.	Sec 28, T19 R23E SLM
	T195, R23E	Grand County, Uta		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
14. PERMIT NO.	40	15. ELEVATIONS (Show whether 14980 GL	DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
16.		· . D T I b .	N. (N. D C	M D
10.	•	•	Nature of Notice, Report, or C	
	NOTICE OF INTEN	rion to:	JOSEGUS	JENT REPORT OF:
TEST WATER S	HUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREA	T 1	AULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACID	IZE	ABANDON*	SHOOTING OR ACIDIZING SURFACE RE	STORATION X
REPAIR WELL		HANGE PLANS	(Other)	of multiple completion on Well
(Other) 17. DESCRIBE PROPOSE	SED OR COMPLETED OPE	RATIONS (Clearly state all pertine	ent details, and give pertinent dates,	etion Report and Log form.) including estimated date of starting any
proposed wor nent to this w	k. If well is directio	nally drilled, give subsurface loc	eations and measured and true vertice	il depths for all markers and zones perti-
10/2	0/70. Popair	ed wash and road to	taell	
10/2	9/19: Repair	ed wash and road d	WCII.	
BLM	in Moab, Utah	notified.		ကြသည်။ မြောက်သည်။ အကြောက်ရှိသည်။ ကြသည်။ ကြသည်။ မြောက်သည်။ မြောက်သည်။
				NECETVISION OF THE PROPERTY OF
				APD 92 1000
				APR 22 1980
				DIVISION OF
				OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct SIGNED M. Lu. Klusses	Ass't Secretary	ДАТЮ 4/18/80 DATЮ
(This space for Federal or State office use)		
CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE CONTROL OF CONTRO

THE FOLLOWING METERS WILL HAVE CALIBRATION / SETTLEMENT TESTS RUN ON THE DATES INDECATED. STARTING TIME WILL BE 0800 OR AS SPECIFIED BELOW AND AT THE OFFICE OF THE NORTHWEST PIPELINE GRAND JUNCTION DISTRICT YOU WILL BE NOTIFIED SHOULD ANY CHANGES OCCUR IN THIS SCHEDULE. IF YOU HAVE ANY QUESTIONS ABOUT THE SCHEDULE, CONTACT OR WRITE THE DISTRICT OFFICE.

METER CODE	WELL NAME	LOC	RUN	DAY	MO/YR	STARTING TIME
92070018	KEWANEE #1-28 195 136	06	05	10	10/85	1000
92071014	CISCO SPRINGS FEDERAL #9 203.23	.1406	05	<u>/3</u>	11/85	1000
94068010	PEASE PURCHASE #2	06	05	13	11/85	1200
92107019	WESTWATER FEDERAL M-10/73.24E.4	06	07	10	10/85	1130
92083012	BAR CREEK UNIT #1 175. 245. 19	06	12	_3	12/85	0800
92133010	CALF CANYON #5 205, 21E, 11	06	13	4	10/85	0900

ANNUAL L TUS REPORT STATE OF UTAH

Form 9		STATE OF CTAIN				
	DEPARTA	MENT OF NATURAL RESOUR	CES		6. Lease	Designation and Serial Number
	DIVISIO	N OF OIL, GAS AND MINI	NG		U-1	6878
					7. Indian	Allottee or Tribe Name
		CES AND REPORTS				
Do not use this form for p	Makang kalang Kandara (1966) and Halandar (1966) and the	wells, deepen existing wells, or to re		plugged and abandoned wells.	8. Unit o	r Communitization Agreement
	Use APPLICA	TION FOR PERMIT— for such prop	osals			
1. Type of Well	Gas	Other (specify)				Name and Number
☐ Şil	☑ Gas Weil	П				anee 1-28 /ell Number
2. Name of Operator	0.11	1.0.				7-019-30255
	ease Oil an	d Gas Co.		4. Telephone Number		and Pool, or Wildcat
3. Address of Operator	107/ C1	I		303-245-5917	1	·
	16/4, Grand	Junction, CO 81502		303-243-3317	CIS	co Springs
5. Location of Well				County		
	: 660' FNL &			County	' : Gra: : UTAH	na
QQ, Sec, T., R., M.	: 1195, KZ3E	E BOXES TO INDICATE N	IATI			OTHER DATA
12. CHECK			IAIL		QUENT I	
	NOTICE OF I (Submit in Dup	N I EN I Dicate)			t Original Fo	
☐ Abandonment		New Construction		Abandonment *	п	New Construction
닐	<u></u>	Pull or Alter Casing		J _ `	H	Pull or Alter Casing
	, <u> </u>	Recompletion	1	<u>-</u>	H	Shoot or Acidize
- III		Shoot or Acidize		Conversion to Injection	片	Vent or Flare
.		Vent or Flare	17	<u> </u>	H	Water Shut-Off
Fracture Treat Multiple Comple	etion L	Water Shut-Off	┨╞	J : : : : : : : : : : : : : : : : : : :	L	
اسا		Water Chat On	-			
Other			l r	Date of Work Completion		
Approximate Date \	Nork Will Start			,		
Approximate Bate (F	Report results of Multiple Comple	etions and F	Recompletions to different reservoirs
				N WELL COMPLETION OR REC		
				Must be accompanied by a ce		
13. DESCRIBE PROPOS	ED OR COMPLETED	OPERATIONS (Clearly state all per	tinent	details, and give pertinent dates	s. If well is o	directionally drilled, give subsurface
locations and measur	red and true vertical	depths for all markers and zones per	tinent	to this work.)		
					(
Annual St	atus Report	of shut-in, tempora	rily	abandoned, and s	uspende	ed drilling wells.
	acus report		,	,	•	3
Needs wor	kover.					
4				F	TA CITE	37.36
				108	$\Sigma(G)$	SHW 15 m
				\mathbb{R}^{n} .		
				La "	f 1444 ~	
•					JAN 2	2 1992
					DIVISI	ON OF
				0	IL GAS	8 MINING
				_		MAIN で世代1年間改造権制設定

14. I hereby certify that the foregoing is true and correct		
Name & Signature	Title <u>President</u>	Date 1-15-92
(State Use Only)		

Form 9

ANNUAL STATUS REPORT STATE OF UTAH

6. Lease Designation and Serial Nurr	ber
U-16878	
7. Indian Allottee or Tribe Name	

DIVISION OF OIL, GAS AND MINII	U-16878 7. Indian Allottee or Tribe Name	
SUNDRY NOTICES AND REPORTS C Do not use this form for proposals to drill new wells, deepen existing wells, or to re Use APPLICATION FOR PERMIT— for such propo	ON WELLS enter plugged and abandoned wells. seals	8. Unit or Communitization Agreement
1. Type of Well		9. Well Name and Number
Well Well U		Kewanee 1-28
2. Name of Operator	·	1
Willard Pease Oil and Gas Co. 3. Address of Operator	4. Telephone Number	43-019-30255
P.O. Box 1874, Grand Junction, CO 81502	303-245-5917	Cisco Springs
5. Location of Well Footage : 660 FNL & 660 FWL QQ, Sec. T., R., M. : T19S, R23E, Sec. 28:	County State	: Grand : UTAH
12. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	ORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSE	QUENT REPORT Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off
Other	Date of Work Completion	
Approximate Date Work Will Start	Report results of Multiple Completion WELL COMPLETION OR REC * Must be accompanied by a cen	
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perti- locations and measured and true vertical depths for all markers and zones perti- Annual Status Report of shut-in, temporar	inent to this work.)	•
Needs workover.		
Needs wolkovel.	RE	CEIVED
	F	EB 1 6 1993
	DI OIL, (IVISION OF GAS & MINING
14. I hereby certify that the foregoing is true and correct Name & Signature	Title Pre	sident
(State Use Only)		
	•	



Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director 801-359-3940 (Fax) 801-358-5319 (TDD)

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax)

PLUGGING AND ABANDONMENT PROCEDURE KEWANEE #1-28 SECTION 28, TOWNSHIP 19 SOUTH, RANGE 23 EAST GRAND COUNTY, UTAH API # 43-019-30255

- In Step 2, set CIBP above perfs and dump 1 sack cement on plug.
- In Step 3, if cut is made and 4 1/2" casing cannot be 2. pulled, 100'plug will be set across cut.
- In Step 5, the plug across the bottom of surface will 3. be tagged to make sure it stays in place.
- Contact State Lands for rehab of location.
- Notify DOGM 24 hrs prior to plugging. 5.



November 1983) Formerly 9-331) BUREAU LAND MANAGEMENT Other Instructions on re-				5. LEASE DESIGNATION AND SERVAL NO. CA1266 JOO		
SUNDRY NOTICES AN (Do not use this form for proposals to drill of use "APPLICATION FOR P	D REPORTS C r to deepen or plug be ERMIT—" for such pro	N WELLS nex to a different reservoir.	6. tr (8	DIAN, ALLOTTER	OR TRIBE NAME	
OIL GAS X OTHER			7. UNIT	AGREEMENT NAME	X3	
2. HAME OF OPERATOR			3. FARM	OR LEASE NAM	*	
Pease Oil and Gas Company			KEWAN			
3. ADDRESS OF OPERATOR	0.1500	·	9. WELL	NO.		
P.O. Box 1874, Grand Junction, Co		lasta samuran anta d	1-28	D AND POOL, OR		
4. LOCATION OF WILL (Report location clearly and in See also space 17 below.)	Secondance with sul	cross tedattemental	l i	Springs		
At surface				. T., L., M., OR A		
660 FNL, 660 FWL			81	URVET OR AREA		
				.8, T19S,R		
H3-09-30255 4980 (GL	AT, GR. etc.)	Grand	NTT OR PARISE	UT	
16. Check Appropriate 5	Box To Indicate No	ature of Notice, Report	, or Other Da	ta		
NOTICE OF INTENTION TO:		4	OTHE THEUDERED	RT OF:		
TEST WATER SEUT-OFF PULL OR ALTE	R CASING	Water Seut-off		espairing w	TALL	
FRACTURE TREAT MULTIPLE COM	PI.ETE	FRACTURE TREATMENT	-	ALTERING CA	SING	
SHOOT OR ACIDIZE ASANDON®	$\frac{X}{ X }$	SECOTING OR ACIDIZIN	(G	abandon wen	T*	
REPAIR WELL CHANGE PLANS	· -	(Other) Report	results of multip	le completion o	on Weil	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clet proposed work. If well is directionally drilled.	ariz state all pertinent	details, and rive pertinent	dates, including	estimated date	of starting and	
PBTD: 2981; 7 5/8" 26.6 lb at 156 Perfs; 2564-2568; 2634-2648 1) Fill well w/mud 2) Plug #1 - 20 sx cmt from 2656 3) Cut off and pull all possible 4) Plug #2 - 20 sx cmt 50' inside 5) Plug #3 - 30sx cmt 216 (open 6) Plug #4 - 10 sx surface plug 7) Set regulation dry hole mark 8) Clean up location	0 to 2390 4 1/2" (Estin de 4 1/2 and 6 hole) to 106	mate 2000 ft)		Q 100' 12	123/93	
	DATE: 21: 21: 21: 22: 22: 22: 22: 2	JAN) att ken verbal to	8.241 a 1723 1816	i 66 865 Line of him bhalter		
SIGNED A BWWILLE	TITLE VF	Production	D	ATE 12-3	3-93	
(This space for Federal or State office use) APPROVED BY	TITLE		ø	ATE		

*See Instructions on Reverse Side

STATE OF UTAH DIVISION OF OIL, GAS AND MINING ABANDONMENT OPERATIONS

COMPANY NAME: PEASE OIL & GAS COMPANY
WELL NAME: KEWANEE #1-28
QTR/QTR: NW/NW SECTION: 28 TOWNSHIP: 195 RANGE: 23E
COUNTY: GRAND API NO: 43-019-30255
CEMENTING COMPANY: RIPPY WELL SERVICE WELL SIGN: YES
INSPECTOR: DENNIS INGRAM TIME: 8:00 AM DATE: 1/03/94
CEMENTING OPERATIONS: PLUGBACK: SQUEEZE: P&A WELL:_Y
SURFACE PLUG: 45'- 217' INTERMEDIATE PLUG: 1759' TO 1870'
BOTTOM PLUG SET @: 2500' WIRELINE: MECHANICAL: Y
PERFORATIONS: N/A SQUEEZE PRESSURE: N/A
CASING SIZE: SURFACE: 7 5/8" PRODUCTION: 4 1/2"
GRADE: SURFACE: 26.6 LB PRODUCTION: 10.5 LB
PRODUCTION CASING TESTED TO: NO PSI TIME: MIN:
SLURRY INFORMATION: (INCLUDE NO. OF SACKS CLASS AND ADDITIVES)
1. SURFACE PLUG: PUMPED 33 SACKS 'G' @217 FEET
2. INTERMEDIATE PLUGS: PUMPED 20 SACKS 'G' @1870'(STUB @1820)
3. BOTTOM PLUG: CIBP SET @2500'
4. CEMENT ON TOP OF PLUG: 5 SACKS OF CLASS 'G' ON TOP.
5. ANNULUS CEMENTED: WAS FULL
6.FLUID IN WELL BORE: 9.0 PPG MUD
ABANDONMENT MARKER SET:
ADANDONNENI NARRER SEI:
PLATE: PIPE: Y CORRECT INFORMATION:
REHABILITATION COMPLETED: 2/94
***====================================
COMMENTS: TAGGED SURFACE PLUG AT 45 FEET. PICKED UP MILL & PUT
BLOCKS ON COLLAR FOR WEIGHT AND ROTATED WITH POWER TONGS PLUG
APPEARED SOLID. PUMPED 10 SACK PLUG AT SURFACE & INSTALL MARKER.

FORM 9

TATE OF UTAH DIVISION OF OIL, GAS AND MINING


FFR	. 7	1994
LCD	17	1334


5. Lease Designation and Serial Number

			U-16878	
SUNDRY NOTICES AND REPORTS ON WELLS			6. If Indian, Allottee or Tribe Name:	
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.			7. Unit Agreement Name:	
1. Type of Well: OIL GAS X OTHER:			8. Well Name and Number: Kewanee #1-28	
2 Name of Operator: Pease Oil & Gas Company			9. API Well Number: 43-019-30255	
a. Address and Telephone Number: P.O. Box 1874, Grand Junction, CO. 81502			10. Field and Pool, or Wildcat: Cisco Springs	
	& 660' FWL 23E, Sec. 28		County: Grand State: Utah	
11. CHECK APPROP	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
NOTICE OF INTENT SUBSEC			UENT REPORT riginal Form Only)	
Abandonment	☐ New Construction	☐ Abandonment *	□ New Construction	
☐ Casing Repair	☐ Pull or Alter Casing	Casing Repair	Pull or Alter Casing	
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize	
☐ Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare	
☐ Fracture Treat	☐ Vent or Flare	Fracture Treat	☐ Water Shut-Off	
☐ Multiple Completion	☐ Water Shut-Off	☐ Other		
Other				
		Date of work completion		
Approximate date work will start Report results of Multiple Completions and Recompletions to different reservoirs on W COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a coment verification report.			G form.	
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent deteal. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Well was plugged and abandoned in December, 1993.				
13. Willard Pea		Tibe: President	Detre: 2/15/94	

(This space for State use only)







Utah Oil & Gas Commission 355 West North Temple Street 3 Triad Center, Ste 350 Salt Lake City, UT 84180

Re: Final Sundries P&A

Kewanee 1-28 NWNW Sec 28, T19S, R23E, SLB&M

Kewanee 1-32 NWSE Sec 32, T19S, R23E, SLB&M

Gentlemen:

Enclosed are the final Sundry Notices describing the plugging operations on the referenced wells. Documents proving purchase of the cement are enclosed as well. The cement was mixed and placed by Grand Junction Well Service-Rippy Inc., and was witnessed by Frank Mathews of State of Utah.

If you have questions/need more information, please contact me at the Grand Junction office.

Very truly yours,

J. N. Burkhalter, PE-PLS

Enc

cc: Bureau of Land Management, Moab District

· Om ·	DEPART	MENT OF NATURAL RESOUR	CES	6. Lease Designation and Serial Number
t ,		OF OIL, GAS AND MINI		CA1266
	517101	Or OIL, and AND MININ	_	7. Indian Allottee or Tribe Name
St	JNDRY NOT	ICES AND REPORTS	ON WELLS	
Do not use this form for	proposals to drill he	rw wells, deepen existing wells, of to re	enter plugged and abandoned wells:	8. Unit or Communitization Agreement
	Uso APPLIC	CATION FOR PERMIT— for such prop	ceals	
1. Type of Weil	VIVI Gee	Other (specify)		9. Well Name and Number
□ Ŵii	XIX Gas Well	Other (specify)	·	Kewanee 1-28
2. Name of Operator				10. API Well Number
Pease Oil	& Gas Co.			43-019-30255
3. Address of Operator			4. Telephone Number	11. Field and Pool, or Wildcat
BOX 1874,	Grand Jur	nction, CO. 81502	303-245-5917	Cisco Springs North
	TAIT CCO T		Country	. Cmamā
	FNL, 660 E	c 28, T 195, R 23 E	•	: Grand : utah
				ORT, OR OTHER DATA
IIZ. OFFOR	NOTICE OF		The second secon	QUENT REPORT
	(Submit in Du	pplicate)	(Submit	Original Form Only)
☐ Abandonment	Г	New Construction	Abandonment *	New Construction
Casing Repair	ŗ	Pull or Alter Casing	Casing Repair	Pull or Alter Casing
Change of Plan	ns [Recompletion	Change of Plans	Shoot or Acidize
Conversion to I		Shoot or Acidize	Conversion to Injection	☐ Vent or Flare
Fracture Treat	·	Vent or Flare	Fracture Treat	☐ Water Shut-Off
Multiple Compl	letion [ਜ੍ਹੋਂ Water Shut-Off	Other	-
Other	.	_		- 10 10 1
			Date of Work Completion	1/3/94
Approximate Date	Work Will Start _			
			Report results of Multiple Completion WELL COMPLETION OR REC	tions and Recompletions to different reservoirs: COMPLETION AND LOG form.
			* Must be accompanied by a cer	
40.000000000000000000000000000000000000				Manual to discussion allowed the design as house on
locations and measu	IFD OR COMPLETE	DOPEMATIONS (Clearly state all per I depths for all markers and zones per	inent details, and give pertinent dates linent to this work.)	if well is directionally drilled, give subsurface
	•		· -	
		: & rig to P&A well		MEGINA
2. Set 4 1,	/2" bridge	e plug at 2498' and	d_spot 5 sk cement	ON THE STATE OF TH
3. Cut 4 1,	2" casing	at 1820' and lay	down.	134
4. RIH w/ti	ibing to 2	400' and mix and	circulate mud.	MAR 3 1994
5. Spot 20	sk plug 1	.870' in and out o	$\frac{1}{2}$ casing st	Eudin Control
6. Spot 33	sk plug a	t 217'. Tag at 45		
7. Set 10 s	sk plug at	surface and erec	t regulation marke	er divertion, and a mining
		surface casing.		
8. Equipmen	it moved,	location cleaned	and renaded.	
				· ·
				*. ,
		•		
	•			
	1			
			•	
14. I hereby certify that t	he loregoing is true	and correct		,
	1/ R. lil.	//-	Title VP /	authors Date 2-25-94
Name & Signature	4. Burlla	W	Title VP	MAN MANORAL DATE C C 3 17
(State Use Only)			7	•
▼				

